

SUPPLY OF ICT ITEMS FY-2026-2027					
SL.No	Particulars	Specification provided	Unit	Rate	Remarks
1	USB to RJ45 Console Cable M/6ft	Connector Type: USB 3.0/2.0, Cable Type: USB/Serial, Compatible Devices: Laptop, Personal Computer, Router, Server, Switches, Other Special Features of the Product: Data Transfer, Ethernet Cable Category: Cat 6, Connector Gender: Male-to-Male, Data Transfer Rate: 5 Gigabits Per Second, Number of Pins: 4, Maximum Voltage: 5 Volts (DC), Gauge: 1.0, Connectivity Technology: Console, USB	1 No		
2	USB Console Cable with FTDI Chip,USB to RJ45 Console Cable for Routers/Windows 7,8 /Switches (USB-C 10FT 3m)	Connector Type: RJ45, USB 2.0, USB Type C, Cable Type: USB, Compatible Devices: Laptop, PC, Router, switchs , Ethernet Cable Category: CAT6/Cat 5e, Connector Gender: Male-to-Male, Data Transfer Rate: 0.48 Gigabits Per Second, Number of Pins: 12	1 No		
3	LC to SC - UPCFiber Patch Cord Single-Mode Duplex -1M, 2M, & 3M	LC to LC Singlemode Duplex Fiber Patch Cord - 3.0MM, 9/125µm, LC-LC UPC High-Speed, Yellow	1 No		
		LC to LC Singlemode Duplex Fiber Patch Cord - 1.0MM, 9/125µm, LC-LC UPC High-Speed, Yellow	1 No		
4	LC to SC - UPC Fiber Patch Cord- Single-Mode Simplex -1M, 2M, & 3M	LC to LC Singlemode Duplex Fiber Patch Cord - 3.0MM, 9/125µm, LC-LC UPC High-Speed, Yellow	1 No		
		LC to LC Singlemode Duplex Fiber Patch Cord - 1.0MM, 9/125µm, LC-LC UPC High-Speed, Yellow	1 No		
5	LC to LC – UPC Single-Mode Duplex Fiber Optic Cable -1M, 2M, & 3M	LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 3.0MM, 9/125µm core,	1 No		
		LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 1.0MM, 9/125µm core,	1 No		
6	LC to LC – UPC Single-Mode Simplex Fiber Optic Cable -1M, 2M, & 3M	LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 3.0MM, 9/125µm core,	1 No		
		LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 1.0MM, 9/125µm core,	1 No		
7	SC to SC – UPC Single-Mode Duplex Fiber Optic Cable -1M, 2M, & 3M	LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 3.0MM, 9/125µm core,	1 No		
		LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 1.0MM, 9/125µm core,	1 No		
8	SC to SC – UPC Single-Mode Simplex Fiber Optic Cable -1M, 2M, & 3M	LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 3.0MM, 9/125µm core,	1 No		
		LC to LC Fiber Patch Cable – UPC Single-Mode Duplex Fiber Optic Cord – 1.0MM, 9/125µm core,	1 No		
9	Gigabit RJ45 Copper SFP Transceiver Module	1. SFP transceiver module 100% Universally Compatible with Networking Devices such as router, server or switch's SFP port, 2. Provides 10/100/1000 Mbps throughput up to 328.08-ft. (100 m) via Cat6,Cat6A, Cat7, and Cat8 cabling, 3. Auto-sensing RJ45 port adjusts to match data speeds and detects MDI/MDI-X, 4. Hot-swappable interface lets you install and uninstall without shutting down, 5. Supports bi-directional Gigabit Ethernet communication up to 1.25 Gbps all the networking devices , 3-year limited warranty	per pair		

10	SFP+ to RJ45 Transceiver Module	1. 10GBASE-T SFP+ to RJ45 Transceiver, 10G Copper SFP+ to Ethernet Module Universally Compatible with Networking all Devices (router, server or switch's) SFP-10G-T-X module, 2. Provides 10 Gbps throughput up to 98 ft. (30 m) via Cat6,Cat6A, Cat7, and Cat8 cabling. Hot-swappable interface lets you install and uninstall without shutting down. Meets or exceeds MSA standards and works in all MSA-compliant platforms.	per pair		
11	Cable Labels, 8 Colors Waterproof Cable Tags Wire Labels for Cable Management, Cord Labels Can Write On, Self Adhesive Wire Labels Easy Handwriting and Colourful Waterproof Wire Cord Labels Tags, Write on Stickers, Tear Resistant, Flexible Works Cord Identification Labels.	Colour: Multi-coloured Cover, Material: Poly, Shap: Rectangular, Size: 84x13, Sheet size: 84x13 inches, Brightness rating: 99 lumens,Paper finish: Soft Gloss.	per set		
12	SFP+ to SFP+ Active AOC Optical Cable, 7Meter/22.96ft 10GBASE 10G OM2 MMF Active Direct-Attach Fiber High-Speed Cable, Compatible with all networking devices	Connector Type: Sfp+ to Sfp+, Cable Type: Active Optical Fiber Cable, Compatible Devices: Router, Server, Switches, Connector Gender: Male-to-Male, Data Transfer Rate: 10 Gigabits Per Second.	per set		
13	1.25G (20Km) 1310nm Duplex Mode Dual Fiber LC SFP Module Transceiver	Up to 1.25Gb/s Data Links, Duplex LC connector Up to 20km on 9/125µm SMF, 1310nm FP laser transmitter, Commercial operating temperature range: -0°C to 70°C, RoHS compliant and Lead Free.	per pair		
14	1.25G DDM SFP Module BiDi Transceiver LC Or SFP 1.25G Single Fiber Module T1310/R1550nm 20km LC Connector DDM Compatible with Switches & Routers	1.25G DDM SFP Module BiDi Transceiver Tx1310/Rx1550nm Upto 20KM Transmission Over Single LC SMF Fiber	per pair		
15	10G-LR SFP+ LC Transceiver, Single-Mode SFP Module Plug and Play LC Duplex Interface	Hot Pluggable Up to 10km Distance Support SFP+MSA & DDM	per pair		
16	Gigabit Ethernet Fiber Media Converter 1G with Open SFP Slot	10G RJ45 Port: Supports auto-negotiation, Adaptive 100M/1G/2.5G/5G/10GBase-T connection, Auto-MDI/MDIX function, full-duplex/half-duplex. Local Unit Connectors, 1 - SFP Slot, 1 - RJ-45, Warranty: 2 Years, Included in Package, 1 - Gigabit Ethernet fiber media converter w/ open SFP slot, 1 - universal power adapter (NA/EU/UK/AU), Indicators,LED Indicators: 1 – Power, 1 - Fiber Port Link/Act, 1 - Copper Port Link/Ac, 1 - 1000 Mbps, Performance, Data Transfer Rate: 1 Gbps, Type: Single Mode / Multi Mode, MTBF: > 50,000 hours at 25°C	1 No		
17	Patch Panel 24 Port Cat6 with Inline	10G Support, Pass-Thru Coupler Patch Panel UTP 19-Inch with Removable Back Bar, 1U Network Panel for CAT6, CAT6A, CAT7, & CAT8 Cabling, Rack mounted	1 No		
18	Cat 7 Outdoor Ethernet Cable Bulk 500ft (DIY x 20 RJ45), SFTP Cat 7 Shielded Ethernet Cable, High Speed 10Gbps 600MHz, Heavy-Duty, Waterproof, Direct Burial, UV Resistant	Connector Type: RJ45, Cable Type: Ethernet, Compatible Devices: Laptop, Modem, PC, Router, and all types of networking devices, Other Special Features of the Product: Data Transfer, Heat Resistant, High Speed, Heavy-Duty, Waterproof, Direct Burial, UV Resistant, Ethernet Cable Category: Cat 7, Data Transfer Rate: 10 Gigabits Per Second, Frequency: 600 MHz, Gauge: 24.0	per Roll		
19	CAT6A Shielded Plenum (CMP)	1000ft, 23AWG 4-Pair, solid bare copper conductors, Overall aluminum foil shield - F/UTP, Bandwidth tested up to 750 MHz & 1G/10G Ethernet up to 328 ft, PoE/PoE+/PoE++ (IEEE 802.3af/at/bt), 4PPoE up to 100W, cETLus Certified, RoHS-3 & ANSI/TIA 568.2-E compliant	per Roll		
20	Indoor CAT6A Ethernet Cable, 500ft	Indoor CAT6A Ethernet Cable, 500ft, 23AWG Solid Bare Copper, UTP Unshielded Twisted Pair, CMR Riser Rated &ETL Listed, 650Mhz/10 Gigabit Network Speed, Category6 Augmented, Bulk Ethernet Cabel	per Roll		

21	Gigabit PoE Waterproof Extender, 1-in 1-Out, 1-in 2-Out, 1-in 4-Out, 1-in 6-Out, and 1-in 8-Out	FAST CALBING Waterproof Direct Burial PoE Extender for IP Camera Ethernet Extension Breaking 100m Distance Limit Outdoor PoE Repeater IEEE 802.3af/at/bt PoE+ Plug and Play	1 No		
22	Portable Multifunctional Precision UTP/STP Cable Wire Stripper Tool High Quality Cutting Pliers		1 No		
23	Network Cable Tester	RJ-45, RJ12, RJ-11, Automatically Checks Cable for Continuity, Short, Open and Crossed Wire Pairs, Coaxial Cable Port Identifies Cable Conditions Including Shorts; Shield Opens and Centre Conductor Breaks, uses 9V Battery	1 No		
24	Cat6/6A/CAT7/CAT8 Standard RJ45 Connectors Unshielded	Triple prong gold plated contacts, Supports PoE++ (802.3bt) 4PPoE, up to 100W, Suitable for unshielded U/UTP Ethernet cable, UL Listed, ETL Verified, ANSI/TIA 568 2.D Certified	per pkt		
25	SFP Transceiver	compliant with MSA SFP specification, G.959.1, SFF-8472, FC-PI v2.0, Hot-pluggable, Duplex LC receptacle optical interface compliant, Data rates range from 100Mb/s to 1.25Gb/s, DDM function available with internally calibrated mode, International Class1 laser safety certified, Single +3.3V power supply, Operating temperature range: Commercial: -5°C~+70°C, Industrial: -40°C~+85°C, RoHS Compliant, Gigabit Ethernet, Gigabit Fiber Channel, Access Network	per pair		
26	Wireless Access Point Unifi U6-Enterprise-IW	- Wall-mounted WiFi 6E AP with 10 spatial streams, 6 GHz support, and a built-in 4-port switch. High-density office networks	1 No		
27	Wireless Access Point Unifi U7 Pro Outdoor	All-weather IP67 WiFi 7 AP with 6 spatial streams, extended-range AFC 6 GHz support, integrated directional super antenna, and articulation mounting bracket.	1 No		
28	Wireless Access Point Unifi U7 Pro Max	Ceiling-mounted WiFi 7 AP with 8 spatial streams, 6 GHz support, and a dedicated spectral scanning engine for interference-free WiFi in demanding, large-scale environments.	1 No		
29	Wireless Access Point Unifi U7 Pro XGS	Ceiling-mounted 8-stream WiFi 7 AP with dedicated spectral scanning radio and 10/5/2.5/1 GbE support.	1 No		
30	Wireless Access Point Unifi Ubiquiti E7	Enterprise-grade indoor access point with 10-stream WiFi 7 performance, a 10 GbE uplink, and a redundant GbE port for high availability.	1 No		
31	Premium Circle Cable Clips, Wire Fastener Metal Nail for Wall Wiring Cable Management, Wire Organizer, Wire Cable Cord Clip Tie Strap Holder	6MM, 7MM, 8MM, 10MM, 12MM	per pkt		
32	Cable Ties Label Self Locking Tag Sign for Ethernet Cable (Cat6, cat6a, cat7, and cat8) (White)	Colour: White, Style: Self-lock, Material: Nylon, Feature: Writable tag surface	per pkt		
33	Electriduct Nylon Cable Ties - 4", 6", 8", 12", 14", and 20" Self-Locking Zip Ties	Dimensions: 0.19" width × 0.065" thickness, Specifications exceed industry standards, ensuring sturdier structure and enhanced durability.	per pkt		
34	Zip Ties 4", 6", 8", 12", 14", and 20" Inch Double Sided Toothed. Heavy Duty Self-Locking Adjustable Nylon Cable Ties, More Durable for Indoor & Outdoor Use	Dimensions: 0.19" width × 0.065" thickness, Specifications exceed industry standards, ensuring sturdier structure and enhanced durability.	per pkt		
35	Universal Portable Rotary Cable Wire Stripper, Network Cable Cutter Tool, Plier, Multifunctional Electricians Durable Tool For, Stripping, Cutting Rotary Coaxial Utp/STP Tool		1 No		
36	Fiber Optic Pigtail LC	Fiber Optic Pigtail LC/UPC SM OM4 SX/LX 0.9MM 1M Fiber Optical Pigtails	1 No		
37	Fiber Optic Pigtail SC	Fiber Optic Pigtail SC/UPC SM OM4 SX/LX 0.9MM 1M Fiber Optical Pigtails	1 No		

38	Fiber Optic Cable Tester Meter, Red Light Pen Tester	Visual Fault Locator 30mW 30KM, Fiber Optic Cable Tester Meter, Red Light Pen Tester Adapt LC/FC/SC/ST Interface, Fiber Network Cable Test Kit Fiber Light Source Testers	1 No		
39	Isopropyl Alcohol Cleaning Liquid For Fibre Optics	Isopropyl Alcohol Cleaning Liquid For Fibre Optics, formulated with a purity level of 99.99%	per lit		
40	11 in 1 Fiber Optic Cleaning kit 1.25mm/2.5mm Interface Optical Cable Cleaner Tool with 550 Times Fiber Optic Cleaning Box and Replace core SC LC Cleaning Pen Cleaner Cotton swabs Set	11 in 1: Fiber optic tool bag, cleaning box and replacement core, cleaning pen SC/LC, cleaning cotton swab 1.25/2.5mm, cleaning paper, air blowing, brush, cleaning bottle, Fiber optic cleaning box : Suitable for multi interface SC/FC/LC/ST, replaceable cleaning core, with a maximum cleaning frequency of 500 times, Fiber optic cleaning pen : SC cleaning pen Suitable for SC/FC/ST 2.5MM interface LC cleaning pen Suitable for LC 1.25MM maximum cleaning frequency of 800 times, Fiber optic cleaning cotton swab: Suitable for SC/FC/ST 2.5MM interface, LC 1.25MM interface, 100pcs per bag, Multiple cleaning purposes, Cleaning paper: dual-use, suitable for SC/FC/ST/LC bare fiber on the end face, widely used	per set		
41	20-in-1 Multifunctional Stainless Steel Wire Cutter Foldable Wire Stripper Crimper Cable Cutter Pliers Non slip Grip for Cutting Electrical Stripping Tool & Crimping Tool with [LED Voltage Tester Pen]	20-in-1 Multifunctional Stainless Steel Wire Cutter Foldable Wire Stripper Crimper Cable Cutter Pliers Non slip Grip for Cutting Electrical Stripping Tool & Crimping Tool with [LED Voltage Tester Pen]	per set		
42	Handy Handheld Saw (Adjustable Length Hacksaw Blade Fitted Into A Plastic Handle).		1 No		
43	HDMI	30mtrs	1 No		
		20mtrs	1 No		
		10mtrs	1 No		
		5mtrs	1 No		
		3mtrs	1 No		
		1.5mtrs	1 No		
		1mtrs	1 No		
44	Flush Cutter	5 Inch Flush Cutters, 2 Pack Micro Wire Cutters, Sharp Zip Tie Cutter, Precision Wire Cutters for Crafting, Jewelry Making, Plastic Models, 3D Print, Electronics or Micro Flush Cutters with Spring, Wire Cutting Pliers, Wire Snips for Electronics Soft Copper Jewelry Making, 5-inches	1 No		
45	HDMI to VGA adapter	HDMI to VGA converter (Model Number: UG-40233), Input: HDMI Male, Output: VGA Female, Compatibility: All Types of Windows and Mac	1 No		
46	HDMI to VGA adapter	Connect a HDMI output on a laptop, desktop, or docking station to a VGA computer monitor or projector. Supported resolution: compatible VGA display upto 1920x1080 at 60Hz refresh rate, lower resolutions are supported at 60Hz. Compatibility with desktop and laptop computers with HDMI outputs.	1 no		
47	Dell Power Supply	MPN (Model Number): DK87P, MPN (Model Number): DK87P Compatible Brand: For Dell Optiplex 3050 7050 and Dell Vostro Maximum Power: AC Input(50-60Hz):100-240V~/4A ; Max OutputPower:240W. Modular: Yes Connectors: 6P+4P (P1 - 6Pin ATX Power, P2 - 4Pin ATX Power)	1 No		
48	Type: M.2. PCIE NVMe SSD (2280) Internal Solid State Drive (512GB) for Desktop	Capacity: 512 GB, Form Factor: M.2 PCIe 2280, Interface: PCIe GEN 3x4 (NVMe 1.3), Flash Type: 3D NAND TLC	1 No		

49	Type: Internal X300s 256GB 2.5"6Gbps SATA Opal 2.0 SSD (U) SD7TB3Q-256G-1006	SKU: SD7TB3Q-256G-1006, Capacity: 256GB, Interface: SATA III, Drive Type(s) Supported: SSD (Solid State Drive)	1 No		
50	660 Watts And 230 Voltage 30 Min Backup Ups - Black, 28.2 X 13.2 X 25.9 Cm Battery Backup, Surge Protection For Electronics	Color:Black, Type: Other, Backup Ups, Phase: Single Phase, Protection: Lighting, Output Voltage: 230 Volt (V), Recharge Time: 4 Hours, Back-Up Time: Minimum 30 Minutes, Size: 28.2 x 13.2 x 25.9 cm	1 No		
51	APC Back-UPS Pro Sinewave UPS, 1500VA/900W UPS Battery Backup & Surge Protector	APC Back-UPS Pro Sinewave UPS, 1500VA/900W UPS Battery Backup & Surge Protector, AVR, 10 Outlets, LCD, USB-C Charging, UL Certified, BR1500MS2 Uninterruptible Power Supply for Computers, Electronics	1 No		
52	Portable SSD, 1TB External Solid State Drive, Speeds Up to 1,050MB/s, USB 3.2 Gen 2, Reliable Storage	1TB Up to 1,050MB/s USB 3.0 Gen 2 , 1 TB, Soney,Toshiba,Seagate	1 No		
53	SANDISK 8GB, 16GB, and 32GB Ultra Flair USB 3.0 Flash Drive	Memory Storage Capacity: 16 GB, Hardware Interface: USB 3.0, Write Speed: 150 Megabytes Per Second, Read Speed: 130 Megabytes Per Second, Connectivity Technology: USB, Flash Memory Type: USB, Hardware Connectivity Technology: USB Type A, Flash Memory Video Speed Class: V30, Compatible Devices: USB 3.0 enabled (USB 2.0 compatible)	1 No		
54	Kingston DataTraveler DuoG2 256GB Flash Drive USB-A + USB-C 3.2 Gen 1 DTDEG2/256GB	Memory Storage Capacity:256 GB, Hardware Interface: USB 3.2 Gen 1, Additional Features: Dual USB Connector, Connectivity Technology: USB, Flash Memory Type: USB, Compatible Devices: Devices with USB-A or USB-C ports	1 No		
55	8GB, 16GB, 32GB, and 128GB Dual USB C Flash Drive,2-in-1 Type C+ USB A 3.2 Gen2	8GB, 16GB, 32GB, and 128GB Dual USB C Flash Drive,2-in-1 Type C+ USB A 3.2 Gen2 Solid State Thumb Drive,Speed Up to 550MB/s	1 No		
56	8GB, 16GB, and 32GB USB C Flash Drive Dual Flash Drive Type C + USB A Memory Stick Jump Drive 2-in-1 Thumb Drive for Storage	Hi-Spec 39pc Electronics Repair & Opening Tool Kit Set for Laptops, Phones, Devices, Computer & Accessories. Precision Small Screwdrivers with Pentalobe Bits for iPhones & MacBooks	per set		
57	Mini Electric Screwdriver,Cordless Precision Screwdriver set with 38-in-1 Magnetic Bits		per set		
58	1x3 HDMI Splitter, 1 in 3 Out HDMI Splitter Audio Video Distributor Box Support 3D & 4K x 2K Compatible for HDTV, STB	Supported Audio: DTS-HD, Dolby-trueHD, DTS, Dolby-AC3, DSD etc. Video Format: 4K x 2K@30Hz, 3480x2160p, 3D and deep color 8/10/12 bit.Compatibility: HDCP compliant, support Output HDMI 1.4, HDMI 2160P compatible. Input Device support: Computer, PS3, PS4, Xbox, Blu-ray DVD player, STB etc. Output HDMI Signal Device support: Projectors, Display, monitor, etc.EASY TO USE: 1 input 3 outputs, plug and play, no need external driver, safety and Eco-friendly. You just need connecting the 4K HDMI cable to your devices to enjoy your movies or games. 5V DC Power Supply	1 No		

59	HP LaserJet Pro MFP 4104dw Printer	Functions: Print, copy, scan, Control panel: 2.7" Colour Touchscreen, Print technology: Laser, Print speed: Black (A4, normal) Up to 40 ppm ; Black (A4, duplex): Up to 34 ipm First page out Black (A4, ready): As fast as 6.3 sec ; Black (A4, sleep): As fast as 8.8 sec Print resolution Black (best): Fine Lines (1200 x 1200 dpi) ; Technology: HP FastRes 1200, HP ProRes1200, Economode Monthly duty cycle Up to 80,000 pages A4; Printer smart software features Auto duplex and booklet printing, Maximum print area: 207.4 x 347.1mm Duplex printing Automatic (default), Scan Speed: Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/34 ipm (color), Scan file format: PDF, JPG, TIFF, Connectivity: 1 Front USB port; 1 Gigabit Ethernet 10/100/1000 Base-T network; 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.3az; 802.11b/g/n (2.4 GHz) Wi-Fi radio, Network capabilities: Yes, Compatible operating systems Windows 11, 10, MAC OS, Power Requirements: 110-volt input voltage: 110 to 127	1 No		
60	All in One Computer	Display: 27" FHD (1920x1080), Anti-Glare. Integrated/dedicated Graphics. Processor: Intel/AMD, Core i7 (3.6 GHz Turbo & above). RAM: minimum 16 GB (DDR4/DDR5) and expandable. Hard disk: min 512 GB SSD. Connectivity: WLAN+ Bluetooth, Wi-Fi. USB 2.0 Ports, USB3.0 Ports & HDMI Ports. Operating System: Windows 11 Home. Included Components: Wired Keyboard + Wired Mouse, Power Cable	1 No		
61	A4 Colour Printer	A4 Color Laser Multifunctional. Function: Print, Copy, Scan. 1.0GB RAM or higher. 1000Base-T/100Base-TX/10Base-T Ethernet LAN and Wireless LAN (IEEE 802.11 b/g/n). 2x USB 2.0 or more. Tray 1 with 230 sheets paper capacity or more. Single sheet multi-purpose tray or more. 50 sheets Duplex Automatic Feeder (DADF). Brand: Canon/equivalent. Print, copy and scan resolution: 600x600 dpi. Printer Output: Color.	1 No		
62	Professional 17 PCS Computer Networking Toolkit OEM CE Certified JAKEMY Brand Building PC Network Maintenance Hand Operated Tool		per set		
63	KAFUWELL H2923A Household Tool Kit 138 Pcs Combination Auto Repair Set Tool Telecommunication Tools		per set		
64	60W Digital Display Soldering Iron Station Kit w 2 Helping Hands, 6 Extra Iron Tips, Lead-Free Solder, Solder Sucker, S/S Tweezers, °C/°F Conversion, Auto Sleep & Calibration Support	Voltage: 110 Volts, Wattage: 60 watts. Display: LED, Upper Temperature Rating: 896 Degrees Fahrenheit, Number of Channels: 1. 1 x Desoldering Pump (Solder Sucker), 1 x Mini-Wrench, 1 x Pair of ESD-Safe Tweezers, 1 x Roll of LEAD-FREE Solder Wire (35g 0.8mm), 6 x Assorted Iron Tips	per set		